

Reference List

As of 30 November 2020



G-Premio BOND from GC

One-component light-cured
universal adhesive



GC



G-Premio BOND

One-component universal bonding agent

- 1. Bond Strength of Simplified Adhesives to Different Substrates Before and After Thermal Fatigue**
Honda, K., Arita, A., Kumagai, T. (R&D Dept., GC Corp., TOKYO, JAPAN)
Poster A-10, IAD Congress Bangkok, 2015
- 2. Evaluation of Bonding Performance using new adhesive and composite resin**
H. Kato, A. Arita, T. Kumagai (R&D Dept., GC Corp., TOKYO, JAPAN)
Dental Materials 2015 Volume 31, Supplement 1, Page e40
- 3. The effect of dentine surface preparation and reduced application time of adhesive on bonding strength**
P. Saikaew, A.F.M. Almas Chowdhury, M. Fukuya, S. Kakuda, R.M. Carvalho, H. Sano.
Journal of Dentistry 47 (2016) 63–70
- 4. Paucity of Nanolayering in Resin-Dentin Interfaces of MDP-based Adhesives.** F. Tian, L. Zhou, Z. Zhang, L. Niu, L. Zhang, C. Chen, J. Zhou, H. Yang, X. Wang, B. Fu, C. Huang, D.H. Pashley, and F.R. Tay. Journal of Dental Research 2016, Vol. 95(4) 380–387
- 5. Bonding performance and interfacial characteristics of short fiber reinforced resin composite in comparison with other composite restoratives.** A. Tsujimoto, W.W. Barkmeier, T. Takamizawa, M.A. Latta, M. Miyazaki. Eur J Oral Sci 2016; 1–8
- 6. Influence of degradation conditions on dentin bonding durability of three universal adhesives.** K. Sai, Y. Shimamura, T. Takamizawa, A. Tsujimoto, A. Imai, H. Endo, W. Barkmeier, M.A. Latta, M. Miyazaki. Journal of Dentistry 54 (2016) 56–61
- 7. Evaluation of GIC-Surface Treatment on Bond Strength to Resin Composite.** M. Sakamoto, A. Arita, S. Fukushima & T. Kumagai. IDMC, Bali, Indonesia, November 2016.
- 8. Influence of Dentin pretreatment on bond strength of universal adhesives.** Poggio, C., Beltrami, R., Colombo, M., Chiesa, M. & Scribante, A. (2017). *Taylor & Francis*, Vol 3, Nr. 1, pp. 30-35.
- 9. An 18-month clinical evaluation of three different universal adhesives used with a universal flowable composite resin in the restoration of non-carious cervical lesions.** F. Dilsad Oz, Z. Bilge Kutuk, C. Ozturk, R. Soleimani, S. Gurgan. Clinical Oral Investigations. <https://doi.org/10.1007/s00784-018-2571-2>
- 10. Clinical Report of Class II Restorations Made Using an Injectable Resin Composite.** G. Corsentino, M. Ferrari. *J Dent Res* J Dent Res Vol 99 (Spec Iss A): 1383, <https://iadr2020.zerista.com/event/member/678005>, 2020
- 11. Influence of modeling agents on the surface properties of an esthetic nano-hybrid composite.** Z. Bilge Kutuk, E. Erden , D. Lara Aksahin , Z. Elif Durak , A. Can Dulda. Restor Dent Endod. 2020 May;45(2):e13 <https://doi.org/10.5395/rde.2020.45.e13> pISSN 2234-7658·eISSN 2234-7666
- 12. Etch-and-rinse vs self-etch mode for dentin bonding effectiveness of universal adhesives.** K. Yamauchi, A. Tsujimoto, C.A. Jurado, Y. Shimatani, Y. Nagura, T. Takamizawa, W.W. Barkmeier, M.A. Latta, M. Miyazaki. Journal of Oral Science, Vol. 61, No. 4, 549-553, 2019
- 13. Effect of Dentine Wetness on the Bond Strength of Universal Adhesives.** A-N Choi, J-H. Lee, S.-A. Son, K.-H. Jung, Y. H. Kwon, J.-K. Park. Materials 2017, 10, 1224; doi:10.3390/ma10111224. www.mdpi.com/journal/materials



Dental magazines

1. **G-Premio BOND Clinical Evaluation, Dental Advisor (5 stars, Editor's Choice)**
Featured in: Volume 33, No 04, May 2016
2. **Les systèmes adhésifs amélo-dentaires avec mordantage préalable et rinçage.** G. Grégoire & M.A. Bayle. BioMatériaux Cliniques, Vol. 1 – n°2 octobre 2016, pp. 26-35.