

References

As of April 9, 2019



GC Gradia Direct
Flo / LoFlo
Light cured
flowable composite





GC Gradia Direct Flo & Lo Flo / GC UniFil Flow Light cured flowable composite

1. Marginal adaptation of five flowable resin composites in the dentin cavity; Y. Utsumi, T. Hasegawa, K. Itoh, H. Hisamitsu; Abstract 1155 – 80th General Session of the IADR, 2002, San Diego, USA
2. Flexural modulus of commercially available flowable composite resin materials; L.C. Ramp, M.H. Ramp, J.C. Broome; Abstract 0374 – 81st General Session of the IADR, 2003, Göteborg, Sweden
3. The adhesion between fiber posts and composite resin cores: microtensile bond strength of different combinations of materials; C. Goracci, F. Monticelli, A.U. Tavares, F. Sadek, P.E.C. Cardoso, M. Ferrari; Abstract 1268 – 81st General Session of the IADR, 2003, Göteborg, Sweden
4. Scanning electron microscopic evaluation of fiber post-resin core unit; F. Monticelli, C. Goracci, S. Grandini, E. Bertelli, P. Balleri, M. Ferrari; Abstract 1953 - 81st General Session of the IADR, 2003, Göteborg, Sweden
5. Comparison of the acid-resistance level of the dentine surface immersed with fluoride-releasing materials in artificial saliva; T. Noguchi, S. Kato, S. Akahane; Abstract 1986 - 81st General Session of the IADR, 2003, Göteborg, Sweden
6. Translucency of flowable resin composites by contrast ratio; T. Katayama, S. Iwasaki, M. Miyamoto, S. Ishihara, S. Yokose; Abstract 2007 - 81st General Session of the IADR, 2003, Göteborg, Sweden
7. Wear resistance of flowable composites; Y. Tani, A. Ishikawa, K. Amate, J. Ishida; Abstract 2697 - 81st General Session of the IADR, 2003, Göteborg, Sweden
8. GC UniFil Flow – rating; The Dental Advisor, Vol.20, No.7, September 2003
9. Effect of delayed polishing on gap formation in flowable composites; M. Irie and K. Suzuki; Abstract 3131 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
10. Flexural strength and modulus of interface between composite and RMGI; M.L. Cannon and R. Jurado; Abstract 3128 - 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
11. Scanning electron microscopic evaluation of fiber post-resin core units built up with different resin composites. F. Monticelli, C. Goracci, S. Grandini, F. Garcia-Godoy, M. Ferrari. American Journal of Dentistry, Vol.18, No.1, February 2005
12. Microleakage of conservative flowable composite restorations in posterior teeth. E.D. Bonilla, R.G. Stevenson, A.A. Caputo and S.N. White. Abstract 2997 - IADR, March 2005, Baltimore, Maryland, USA *
13. Translucency of flowable resin composites by contrast ratio. T. Katayama, M. Miyamoto, S. Iwasaki, S. Ishihara and S. Yokose. Abstract 3113 - IADR, March 2005, Baltimore, Maryland, USA *
14. Microtensile bond strength to ground enamel by glass-ionomers, resin-modified glass-ionomers, and resin composites used as pit and fissure sealants. F. Papacchini, C. Goracci, F. Tranchesi Sadek, F. Monticelli, F. Garcia-Godoy, M. Ferrari. Journal of Dentistry (2005) 33, 459-467 *
15. Twenty-four hour flexural and shear bond strengths of flowable light-cured composites: a comparison analysis using Weibull statistics. R. Tjandrawinata, M. Irie, K. Suzuki. Dental Materials Journal 26(4): 589-597, 2007



16. Marginal adaptation and performance of bioactive dental restorative materials in deciduous and young permanent teeth. E. Gjorgievska, J.W. Nicholson, S. Iljovska, I.J. Slipper. *J Appl Oral Sci.*2008;16(1):1-6
17. Effect of intermediate agents and pre-heating of repairing resin on composite-repair bonds. F. Papacchini, E. Magni, I. Radovic, C. Mazzitelli, F. Monticelli, C. Goracci, A. Polimeni, M. Ferrari. *Operative Dentistry*, 2007, 32-4, 363-371
18. Polishing effect on surface properties and stainability of flowable composites. E. Tsubaki, N. Inai, A. Fujishima, T. Miyazaki, M. Otsuki and J. Tagami. Abstract 0127 - IADR 2007, New Orleans, USA
19. The effect of intermediate agents in composite repair bond strength. F. Papacchini, I. Radovic, E. Magni, F. Monticelli, C. Goracci, N. Chieffi and M. FERRARI, University of Siena, Italy, University of Belgrade, University of Siena, Serbia and Montenegro. Abstract 0308 – IADR, 2006, Dublin, Ireland.
20. Effect of whitening on microleakage and color stability of composites. K. Kobayashi, K. McKenzie, H. Malmstrom and Y.-F. Ren. Abstract 0411 – IADR, 2008, Toronto, Canada.
21. Bond Strength of Repaired Filling Materials Using Different Repair Procedures. F. Salama. Abstract 3134 – IADR, 2008, Toronto, Canada.
22. Flowable composites as intermediate agents without adhesive application in resin composite repair. F. Papacchini, I. Radovic, E. Magni, C. Goracci, F. Monticelli, N. Chieffi, A. Polimeni and M. Ferrari. *American Journal of Dentistry*, February 2008, Vol 21, nr 1
23. Influence of irradiation time on volumetric shrinkage and flexural properties of flowable resins. S. Uyama, A. Irokawa, M. Iwasa, M. Tonegawa, Y. Shibuya, K. Tsubota, T. Takamizawa and M. Miyazaki. *Dental Materials Journal* 26(6): 892-897, 2007
24. Influence of composite resin on bond strength of all-in-one adhesives. C. Goracci, M. Mergvelashvili, M. Sedda, E. Magni and M. Ferrari. Abstract 2966 – IADR 2009 Miami, USA
25. Polymerization Shrinkage and Flexural Modulus of New Flowable Composites. A. NAPOLES, USAF, Minot AFB, ND, and K. VANDEWALLE. Abstract 3268 – IADR 2009 Miami, USA
26. Adhesion of streptococcus mutans to different restorative materials. C. Poggio, C.R. Arcialo, F. Rosti, A. Scribante, E. Saino, L. Visai. *The International Journal of Artificial Organs*. Vol. 32, n°9, 2009
27. Bond strength performance of different resin composites used as core materials around fiber posts. F. Tranchesi Sadek, F. Monticelli, C. Goracci, F.R. Tay, P.E.C. Cardoso, M. Ferrari. *Dental Materials* 23 (2007) 95-99
28. Hydrolytic stability of composite repair bond. F. Papacchini, M. Toledano, F. Monticelli, R. Osorio, I Radovic, A. Polimeni, F. García-Godoy, M. Ferrari. *Eur J Oral Sci* 2007 ; 115 : 417-424
29. Stress distributions in adhesively cemented ceramic and resin-composite Class II inlay restorations: a 3D-FEA study. P. Ausiello, S. Rengo, C.L. Davidson, D.C. Watts. *Dental Materials* (2004) 20, 862-872
30. Post-surface conditioning improves interfacial adhesion in post/core restorations. F. Monticelli, M. Toledano, F.R. Tay, A.H. Cury, C. Goracci, M. Ferrari. *Dental Materials* (2006) 22, 602-609
31. Three-year clinical evaluation of two flowable composites. J.R. Gallo, J.O. Burgess, A.H. Ripps, R.S. Walker, M.B. Maltezos, D.E. Mercante, J.M. Davidson. *Quintessence International*, Volume 41, Number 6, June 2010
32. Microleakage and SEM of Class-I restored with Vertise self-adhering composite. C. Goracci, A. Vichi, M. Margvelashvili and M. Ferrari. Abstract 15 – IADR 2010, Barcelona, Spain



33. An evaluation of biaxial-flexural strength of flowable composites. D. Thome, J. Rothrock, P. Hardigan, J. Larumbe and C. Garcia-Godoy. Abstract 2293 – IADR 2010, Barcelona, Spain
34. SEM and microleakage evaluation of the marginal integrity of two types of class V restorations with or without the use of a light-curable coating material and of polishing. E. Magni, L. Zhang, R. Hickel, M. Bossù, A. Polimeni, M. Ferrari. Journal of dentistry 36(2008) 885–891
35. An experiments on heat conduction of different flowable composites. M. Yalçin, A. Keleş, R. Gözlek, Ş. Karagöz. Abstract 17 – ORCA 2011, Istanbul, Turkey. Clin Oral Invest (2011) 15:771–857
36. Effect of Cyclic-Impact Loads on the Survace Properties of Flowable-Resin Composites. K. Shinaki, C. Kato, M. Suzuki, Y. Taira, S. Suzuki. Abstract 1937 – IADR Seattle 2013.
37. Clinical evaluation of gba-400-bonding-system in class v filled with gradia direct-lo-flo. R. Fabian Fonzar, And M. Ferrari. Abstract 67 – IADR Firenze 2013, Italy
38. The effect of short fiber composite base on microleakage and load-bearing capacity of posterior restorations. S.K. Garoushi, M. Hatem, L.V.J. Lassila & P.K. Vallitu. Acta Biomater Odontol Scand, 2015, pp. 1-7
39. Influence of different low-pressure plasma process parameters on shear bond strength between veneering composites and PEEK materials. F. Bötel, T. Zimmermann, M. Sütel, WD. Müller, AD Schwitalla. Dent Mater. 2018 Jun 20. pii: S0109-5641(18)30088-5. doi: 10.1016/j.dental.2018.06.004. [Epub ahead of print]
40. Flexural Properties and Elastic Modulus of Different Esthetic Restorative Materials: Evaluation after Exposure to Acidic Drink. A. Scribante, M. Bollardi, M. Chiesa, C. Poggio, M. Colombo. BioMed Research International, Volume 2019, Article ID 5109481, 8 pages. <https://doi.org/10.1155/2019/5109481>
- 41.

Articles in Dental magazines

1. Essais produits – L’avis des consultants: GC Gradia Direct Flo. L’Information Dentaire n°16 – 19 avril
2. Gradia Direct LoFlo: product description and consultant’s comments. The Dental Advisor, Vol.20, No10, December 2005
3. Update: Flowable composites. Dental Advisor, Vol.22, No4, May 2005
4. Das Spezialkomposit ist hochviskös, hochwertig und formstabil. Interview Prof. Dr. Martin Jörgens. DZ, 10.Jahrgang – Februar 2009
5. New resin-based composites: a shrinking problem? Clinicians Report, March 2010, Vol 3, Issue 3
6. Fließfähige Komposite – ein werkstoffkundlicher Vergleich. A. Härtwig, A. Rzanny, R. Göbel, M. Schmidt, H. Küpper. ZWR, Das Deutsche Zahnärzteblatt 2010; 119 (3)